

L Number	Hits	Search Text	DB	Time stamp
-	481	(324/601).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 13:51
-	125	(324/600).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 13:52
-	391	((324/601).CCLS.) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:27
-	108	((324/600).CCLS.) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:10
-	243	calibrat\$5 near3 (network adj2 anal\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:33
-	238	(calibrat\$5 near3 (network adj2 anal\$7)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:37
-	134	((calibrat\$5 near3 (network adj2 anal\$7)) and @ad<20030130) and (switch\$3 calibrat\$5) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:28
-	41	((calibrat\$5 near3 (network adj2 anal\$7)) and @ad<20030130) and (switch\$3 calibrat\$5) near2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:15
-	41	(calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 (network adj2 anal\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:25

-	41	((calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 (network adj2 anal\$7)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:12
-	30	((calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 (network adj2 anal\$7)) and @ad<20030130) and (probe port terminal plug lead pin electrode pole jack cord cable) same ((switch\$3 calibrat\$5) near2 (assembly unit system device apparatus mechanism means module set instrument tool circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:50
-	14	(network adj2 anal\$7) same ((plural\$5 number multipl\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:28
-	14	((network adj2 anal\$7) same ((plural\$5 number multipl\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:27
-	4	((network adj2 anal\$7) same ((plural\$5 number multipl\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) and @ad<20030130) and (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:16
-	90	(calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 ((network adj2 anal\$7) VNA oscilloscope)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:45
-	88	((calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:27
-	11	((calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)) near3 ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and ((plural\$5 number multipl\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:48
-	202	(calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:27

-	195	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:47
-	10	((((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and ((plural\$5 number multip1\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
-	5	((((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and ((transm\$8 adj (line wire cable port link network)) near5 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:18
-	8	((("5548221" or ("5552714" or ("5467021" or ("5434511" or ("5537046" or ("5578932"))),PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
-	5	((("5548221" or ("5552714" or ("5467021" or ("5434511" or ("5537046" or ("5578932"))),PN.) and ((plural\$5 number multip1\$5 series) near2 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:17
-	5	((("5548221" or ("5552714" or ("5467021" or ("5434511" or ("5537046" or ("5578932"))),PN.) and ((transm\$8 adj (line wire cable port link network)) near5 (switch\$3 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:19
-	202	(calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:45
-	195	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:41
-	9	((((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and ((network adj2 anal\$7) VNA oscilloscope) near3 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 12:27

-	0	(((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (cavity adj resonance) near3 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:40
-	33	(cavity adj resonance) near3 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:40
-	31	((cavity adj resonance) near3 (high adj frequency)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:42
-	13	(((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) near5 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:48
-	2	(((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (GHz gigahertz) near5 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:49
-	2	(((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (GHz gigahertz) same (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:22
-	15	(((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (\$1Hz \$5hertz (\$2ga adj hertz)) same (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:54
-	53	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) same (GHz gigahertz) same (high adj frequency)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:43
-	409	(calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) same (\$1Hz \$5hertz (\$2ga adj hertz)) same (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:44

-	164	(calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) same opera\$7 same (\$1Hz \$5hertz (\$2ga adj hertz)) same (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:44
-	156	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) same opera\$7 same (\$1Hz \$5hertz (\$2ga adj hertz)) same (high adj frequency)) and @ad<20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:45
-	11	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) same opera\$7 same (\$1Hz \$5hertz (\$2ga adj hertz)) same (high adj frequency)) and @ad<20030130) and ((network adj2 anal\$7) VNA oscilloscope)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:46
-	15	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and (\$1Hz \$5hertz (\$2ga adj hertz)) same ((high broad\$7) adj2 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:53
-	2	((calibrat\$5 (calibrat\$5 adj2 (assembly unit system device apparatus mechanism on means module set instrument tool circuit))) adj ((network adj2 anal\$7) VNA oscilloscope)) and @ad<20030130) and low adj2 reflect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:54